

ECOLOGIA BALKANICA

2024, Vol. 16, Issue 1

June 2024

pp. 30-48

Analysis of Wild Edible Mushrooms in the Regions Strandzha and the Black Sea Coast in Bulgaria

**Tzenka Radoukova^{1*}, Plamen Stoyanov^{1,2}, Tsvetelina Mladenova¹,
Rumen Mladenov^{1,2}, Krasimir Todorov¹, Snezhana Rusinova-Videva³**

¹University of Plovdiv "Paisii Hilendarski", Faculty of Biology, Department of Botany and Biological education, 24 Tzar Asen, 4000 Plovdiv, BULGARIA

²Medical University of Plovdiv, Faculty of Pharmacy, Department of Bioorganic chemistry, 15A Vasil Aprilov, 4002 Plovdiv, BULGARIA

³The Stephan Angeloff Institute of Microbiology, Bulgarian Academy of Sciences, 139 Ruski Blvd, Plovdiv, 4000, BULGARIA

*Corresponding author: kiprei@abv.bg

Abstract. This article attempts to summarize the available data on wild edible macromycetes in the regions Strandzha and the Black Sea coast in connection with the clarification of ethnomycology. The total number of registered species of edible mushrooms for both areas is 105. The species *Boletus caucasicus* Singer ex Alessio; *Boletus luridiformis* Rostk. var. *luridiformis* and *Laccaria bicolor* (Maire) P.D. were noted only for the region of the Black Sea coast. The species composition, ecological-trophic structure and seasonality of edible mushrooms are briefly discussed. A list of 14 macroscopic edible fungi with conservation significance for the mycota of the two territories, assessed with the latest IUCN criteria, is given. Critically Endangered (CR) according to the Red List of fungi in Bulgaria and the Red Data Book of the Republic of Bulgaria was *Boletus caucasicus* Singer ex Alessio.

Key words: Strandzha, Black Sea coast, edible macromycetes, fungal diversity.

Introduction

Mushrooms play an important role in the human diet, and since ancient times, picking of wild mushrooms has been an activity directly related to the household (Singh et al., 2011; Jayachandran et al., 2017; Proskura et al., 2017; Ivanova et al., 2020). Mushrooms are considered a delicacy (Lindequist et al., 2005; De Román et al., 2006), which is highly valued for its texture and unique aromas (Kalač, 2009; Ergönül et al., 2013; Aisala et al., 2018). Mushrooms were initially known to be only a source of food, but later evidence also puts forward their medicinal effects (Wani et al., 2010; Rathee et al., 2012; Jayachan-

dran et al., 2017; Amirullah et al., 2018; Sande et al., 2019). Mushrooms possess anti-inflammatory (Khaund & Joshi, 2016; Muszyńska et al., 2017), antifungal (Phan et al., 2013), anti-diabetic (Chang & Buswell, 2001) and anti-oxidative (Maet al., 2014) properties. In addition to their pharmaceutical qualities, mushrooms are also essential in the modern human diet due to their low fat, high protein and low energy content (Khatun et al., 2012; Dospatliev et al., 2019; Dimitrov et al., 2020; Stoyanova et al., 2021). Mushroom proteins include all the essential amino acids required for humans. In addition, they contain many nutritional components such as iron, phosphorus and vitamins as

ascorbic acid, thiamin, riboflavin, niacin and ergosterol (Kumar, 2015; Lacheva et al., 2020; Stoyanova et al., 2020).

Mushrooms are believed to be major under-utilized nutrient food resource (Kumar et al., 2021). The number of fungi identified to date represents only 10% of all fungi thought to exist (Abugri et al., 2016; Jayachandran et al., 2017). Out of about 1 600 known species of mushrooms, only about 100 species are recognized for consumption (Kumar, 2021). In a number of countries, the collection and trade of wild edible mushrooms occupies a significant share of the economy. (Ivanova et al., 2020). The leading producer, consumer and exporter of wild and cultivated edible mushrooms in the world is China (Boa, 2004). In Poland in 2020, 182 900 tons of mushrooms were reported, worth over 80 million euros (FAOSTAT, 2023; UNECE, 2023). Mushroom picking is a "national hobby" in the Czech Republic, with an average of 5.6 kg of fresh mushrooms per household per year. However, some individuals consume over 10 kg per year (Šišák, 2007).

According to FAO, Bulgaria is one of the leading exporters of mushrooms in the EU – 1260 tons for 2020 (Boa, 2004; Kalač, 2010). Fresh mushroom consumption in the country exceeds 6 kg per person per year (Ivanova et al., 2020). The collection and purchase of wild edible mushrooms in Bulgaria is well organized in many areas (Bulgarian Food Safety Agency, 2023).

Despite the relatively rich species diversity of fungi in the Strandzha and Southern Black Sea

Coast regions (Denchev & Assyov, 2010), research in both zones is extremely few or completely absent (Denchev & Petrova, 2005; Hüseyin & Selçuk 2007; Hüseyin et al., 2011). Particularly unstudied for both regions were edible wild mushrooms, for which general information can only be found in the publications of Denchev & Petrova (2005) and Denchev & Assyov (2010).

The goal of this brief review was to present information on the species of wild edible mushrooms in the Strandzha and Southern Black Sea coast regions described in the literature, which will contribute to the clarification of the ethnomycology of the two regions, which is of the tasks set in the DUEkoS project.

Materials and Methods

Table 1 lists macroscopic fungi from the Strandzha Mountains and the Black Sea coast. The taxa are listed in alphabetical order (Turland et al., 2018). The names of the authors of fungal taxa were abbreviated according to Kirk & Ansell (1992) and Kirk (2004). The information in the presented lists includes available data from literature sources regarding the locality and edibility of the species. For each species, ecological-trophic type was noted, as well as the period of active formation of fruiting bodies. The conservation status of the species was based on the Red List of fungi in Bulgaria (Gyosheva et al., 2006) and the Red Data Book of the Republic Bulgaria Volume 1 (Peev et al., 2015), using the Red Book categories of IUCN (IUCN 2001, 2003a, b).

Table 1. Checklist of the edible wild macromycetes in Strandzha and Black Sea coast.

Species	Edibility	Ecological-trophic type	Seasonality
<i>Agaricus altipes</i> (F.H. Møller) Pilát	E	Hu	VII – X
	Gwenzi et al., 2021	Denchev & Assyov, 2010; Denchev & Petrova, 2005; Gyosheva et al., 2006; Peev et al., 2015	
<i>Agaricus arvensis</i> Schaeff.	E	Hu	V – XI
	Bon, 2012; Harding et al., 1996; Hinkova et al., 1986; Jordan, 1995; Phillips, 2006; Yordanov et al., 1978;	Denchev & Assyov, 2010; Denchev & Petrova, 2005; Burzakov, 1928.	
<i>Agaricus bitorquis</i> (Quél.) Sacc.	E	Hu	V – XI
	Raper, 1976.	Denchev & Assyov, 2010	
<i>Agaricus campestris</i> L.	E	Hu	V – XI
	Boccardo et al., 2008; Bon, 2012;	Denchev & Assyov, 2010; Denchev & Petrova, 2005.	

Analysis of Wild Edible Mushrooms in the Regions Strandzha and the Black Sea Coast in Bulgaria

	Courtecuisse & Duhem, 1995; Harding et al., 1996; Hinkova et al., 1986; Jordan, 1995; Phillips, 2006; Yordanov et al., 1978;		
<i>Agaricus essettei</i> Bon	E	Hu, LeS	VI - X
	Raper, 1976.	Denchev & Assyov, 2010; Peev et al., 2015	
<i>Agaricus macrocarpus</i> (F.H. Møller) F.H. Møller	E	Hu, LeS	VI - X
	Razaq & Shahzad, 2007.	Denchev & Assyov, 2010; Gyosheva et al., 2006; Peev et al., 2015	
<i>Agaricus subperonatus</i> (J.E. Lange) Singer	E	Hu, LeS	IX - XI
	Bon, 2012; Jordan, 1995; Laessoe & Del-Conte, 1996; Phillips, 2006.	Denchev & Assyov, 2010	
<i>Agaricus squamulifer</i> (F.H. Møller) Pilát	E	Hu	IX - XI
	Boccardo et al., 2008	Denchev & Assyov, 2010; Peev et al., 2015	
<i>Agaricus sylvaticus</i> Schaeff.	E	Hu	VII - X
	Boccardo et al., 2008; Bon, 2012; Harding et al., 1996; Hinkova et al., 1986; Jordan, 1995; Phillips, 2006; Sechanov, 1957; Uzelac, 2009; Yordanov et al., 1978.	Denchev & Assyov, 2010	
<i>Agaricus sylvicola</i> (Vittad.) Lév.	E	Hu, LeS	VII - X
	Boccardo et al., 2008; Bon, 2012; Harding et al., 1996; Jordan, 1995; Phillips, 2006.	Denchev & Assyov, 2010	
<i>Agrocybe cylindracea</i> (DC.) Maire	E	LeS	VII - XI
	Boccardo et al., 2008; Bon, 2012; Courtecuisse & Duhem, 1995; Hinkova et al., 1986; Jordan, 1995; Laessoe & Del-Conte, 1996; Phillips, 2006.	Denchev & Assyov, 2010	
<i>Agrocybe molesta</i> (Lasch) Singer	E	Hu	VII - IX
	Bon, 2012; Breitenbach & Kränzlin, 1986; Jordan, 1995; Phillips, 2006; Uzelac, 2009.	Denchev & Assyov, 2010	
<i>Agrocybe praecox</i> (Pers. : Fr.) Fayod	E	Hu, LeS	V - IX
	Boccardo et al., 2008; Bon, 2012; Jordan, 1995; Phillips, 2006.	Denchev & Assyov, 2010	
<i>Amanita caesarea</i> (Scop. : Fr.) Pers.	E	Mr	V - X
	Boccardo et al., 2008; Bon, 2012; Harding et al., 1996; Hinkova et al., 1986; Courtecuisse & Duhem, 1995;	Denchev & Assyov, 2010; Denchev & Petrova, 2005; Gyosheva et al., 2006	

	Phillips, 2006; Yordanov et al., 1978.		
	CE	Mr	
<i>Amanita rubescens</i> Pers. : Fr.	Boccardo et al., 2008; Bon, 2012; Courtecuisse & Duhem, 1995; Harding et al., 1996; Hinkova et al., 1986; Jordan, 1995; Phillips, 2006.	Denchev & Assyov, 2010; Denchev & Petrova, 2005.	V - X
	E	Mr	
<i>Amanita strobiliformis</i> (Poulet ex Vittad.) Bertill.	Boccardo et al., 2008; Bon, 2012; Jordan, 1995; Phillips, 2006.	Denchev & Assyov, 2010; Gyosheva et al., 2006; Peev et al., 2015	V - X
	CE	Mr	
<i>Amanita vaginata</i> (Bull. : Fr.) Vittad	Boccardo et al., 2008; Bon, 2012; Courtecuisse & Duhem, 1995; Harding et al., 1996; Hinkova et al., 1986; Jordan, 1995; Phillips, 2006.	Denchev & Petrova, 2005.	V - XI
	CE	LeS, LeP	
<i>Armillaria socialis</i> (DC. : Fr.) Fayod	Boccardo et al., 2008; Hinkova et al., 1986; Jordan, 1995; Phillips, 2006.	Denchev & Assyov, 2010	VII - IX
	E	Mr	
<i>Aureoboletus gentilis</i> (Quél.) Pouzar	Phillips, 2006.	Denchev & Assyov, 2010; Peev et al., 2015	VII - IX
	E	LeS, LeP	
<i>Auricularia auricula-judae</i> (Bull. : Fr.) Quél.	Kadnikova et al., 2015	Denchev & Assyov, 2010	VII - XI
	E	Mr	
<i>Boletus aereus</i> Bull. : Fr.	Assyov, 2014; Boccardo et al., 2008; Courtecuisse & Duhem, 1995; Harding et al., 1996; Hinkova et al., 1986; Jordan, 1995; Phillips, 2006; Yordanov et al., 1978.	Assyov & Denchev, 2004; Denchev & Assyov, 2010; Denchev & Petrova, 2005.	V - IX
	E	Mr	
<i>Boletus appendiculatus</i> Schaeff.	Boccardo et al., 2008; Bon, 2012; Breitenbach, & Kränzlin, 1986 Jordan, 1995; Phillips, 2006; Uzelac, 2009.	Assyov & Denchev, 2004; Denchev & Assyov, 2010; Denchev & Petrova, 2005.	VI - IX
	E	Mr	
<i>Boletus armeniacus</i> Quél.	Assyov & Denchev, 2004	Assyov & Denchev, 2004; Denchev & Assyov, 2010; Gyosheva et al., 2006 Peev et al., 2015	VI - IX
	E	Mr	
<i>Boletus caucasicus</i> Singer ex Alessio	Assyov & Denchev, 2004	Assyov & Denchev, 2004; Denchev & Assyov, 2010; Gyosheva et al., 2006; Peev et al., 2015	VI - IX
	E	Mr	
<i>Boletus chrysenteron</i> Bull.	Boccardo et al., 2008; Bon, 2012;	Assyov & Denchev, 2004; Denchev & Assyov, 2010	VI - IX

Analysis of Wild Edible Mushrooms in the Regions Strandzha and the Black Sea Coast in Bulgaria

	Harding et al., 1996; Hinkova et al., 1986; Jordan, 1995; Phillips, 2006; Uzelac, 2009; Yordanov et al., 1978.		
<i>Boletus edulis</i> Bull. : Fr.	E Boccardo et al., 2008; Courtecuisse & Duhem, 1995; Harding et al., 1996; Hinkova et al., 1986; Jordan, 1995; Yordanov et al., 1978.	Mr Assyov & Denchev, 2004; Drumeva-Dimcheva & Gyosheva-Bogoeva, 1993; Denchev & Petrova, 2005.	VI - IX
<i>Boletus erythropus</i> (Fr. : Fr.) Krombh.	CE Boccardo et al., 2008; Bon, 2012; Courtecuisse & Duhem, 1995; Harding et al., 1996; Hinkova et al., 1986; Jordan, 1995; Phillips, 2006; Yordanov et al., 1978.	Mr Assyov & Denchev, 2004; Denchev & Petrova, 2005.	VI - IX
<i>Boletus impolitus</i> Fr.	E Boccardo et al., 2008; Bon, 2012; Hinkova et al., 1986; Jordan, 1995; Phillips, 2006.	Mr Assyov & Denchev, 2004; Denchev & Assyov, 2010.	V - X
<i>Boletus luridiformis</i> Rostk. var. <i>luridiformis</i>	CE Boccardo et al., 2008; Bon, 2012; Courtecuisse & Duhem, 1995; Harding et al., 1996; Hinkova et al., 1986; Jordan, 1995; Phillips, 2006; Yordanov et al., 1978.	Mr Assyov & Denchev, 2004; Denchev & Assyov, 2010.	VI - IX
<i>Boletus luridus</i> Schaeff. : Fr. var. <i>luridus</i>	CE Boccardo et al., 2008; Bon, 2012; Courtecuisse & Duhem, 1995; Harding et al., 1996; Hinkova et al., 1986; Jordan, 1995; Phillips, 2006; Yordanov et al., 1978.	Mr Assyov & Denchev, 2004; Denchev & Assyov, 2010.	V - X
<i>Boletus pseudoregius</i> Huber ex Estadès	E Boccardo et al., 2008.	Mr Assyov & Denchev, 2004; Denchev & Assyov, 2010.	VI - X
<i>Boletus queletii</i> Schulzer	CE Boccardo et al., 2008; Bon, 2012; Phillips, 2006; Uzelac, 2009.	Mr Assyov & Denchev, 2004; Denchev & Assyov, 2010.	VI - X
<i>Boletus regius</i> Krombh.	E Boccardo et al., 2008; Bon, 2012; Hinkova et al., 1986; Yordanov et al., 1978.	Mr Assyov & Denchev, 2004; Denchev & Petrova, 2005; Gyosheva et al., 2006; Peev et al., 2015.	V - X
<i>Boletus reticulatus</i> Schaeff.	E Boccardo et al., 2008; Bon, 2012;	Mr Assyov & Denchev, 2004; Denchev & Assyov, 2010.	V - X

	Courtecuisse & Duhem, 1995; Harding et al., 1996; Jordan, 1995; Phillips, 2006.		
	E	Mr	
<i>Boletus rubellus</i> Krombh.	Boccardo et al., 2008; Bon, 2012; Breitenbach & Kränzlin, 1986; Hinkova et al., 1986; Jordan, 1995; Phillips, 2006.	Assyov & Denchev, 2004; Denchev & Assyov, 2010.	VI - X
	E	Mr	
<i>Boletus subtomentosus</i> L. : Fr. (incl. <i>B. kuthanii</i> and <i>B. lanatus</i>)	Boccardo et al., 2008; Bon, 2012; Harding et al., 1996; Hinkova et al., 1986; Jordan, 1995; Uzelac, 2009; Yordanov et al., 1978.	Assyov & Denchev, 2004; Denchev & Assyov, 2010.	VI - X
	YE	Hu, LeS	
<i>Bovista graveolens</i> Schwalb	Harding et al., 1996; Jordan, 1995; Phillips, 2006.	Assyov & Denchev, 2004; Denchev & Assyov, 2010; Gyosheva et al., 2006; Peev et al., 2015	VIII - XI
	YE	Hu	
<i>Bovista plumbea</i> Pers.	Harding et al., 1996; Jordan, 1995; Phillips, 2006.	Denchev & Assyov, 2010	VI - X
	E	Mr	
<i>Calocybe gambosa</i> (Fr. : Fr.) Donk	Boccardo et al., 2008; Bon, 2012; Courtecuisse & Duhem, 1995; Harding et al., 1996; Hinkova et al., 1986; Jordan, 1995; Phillips, 2006; Yordanov et al., 1978.	Denchev & Assyov, 2010; Denchev & Petrova, 2005.	IV - VI
	E	Mr	
<i>Cantharellus cibarius</i> Fr. : Fr. var. <i>cibarius</i>	Boccardo et al., 2008; Harding et al., 1996.	Denchev & Assyov, 2010; Denchev & Petrova, 2005; Drumeva-Dimcheva & Gyosheva-Bogoeva, 1993.	VI - X
	E	Mr	
<i>Cantharellus cinereus</i> (Pers. : Fr.) Fr.	Boccardo et al., 2008; Harding et al., 1996.	Denchev & Assyov, 2010.	VI - X
	E	Hu	
<i>Clitocybe gibba</i> (Pers. : Fr.) P. Kumm.	Vetter, 1990.	Denchev & Assyov, 2010; Burzakov, 1928.	V - XI
	E	Hu	
<i>Clitopilus prunulus</i> (Scop. : Fr.) P. Kumm.	Boccardo et al., 2008; Bon, 2012; Courtecuisse & Duhem, 1995; Harding et al., 1996; Hinkova et al., 1986; Jordan, 1995; Phillips, 2006; Yordanov et al., 1978.	Denchev & Assyov, 2010	V - XI
	CE	LeS	
<i>Coprinellus micaceus</i> (Bull. : Fr.) Vilgalys, Hopple & Jacq. Johnson	Boccardo et al., 2008; Courtecuisse & Duhem, 1995; Hinkova et al., 1986; Jordan, 1995;	Denchev & Assyov, 2010.	III - XI

Analysis of Wild Edible Mushrooms in the Regions Strandzha and the Black Sea Coast in Bulgaria

<i>Coprinus comatus</i> (O.F. Müll. : Fr.) Pers.	E	Hu	V - XI
	Drumeva-Dymcheva & Gyosheva-Bogoeva, 2016; Hinkova et al., 1986; Laessoe & Del-Conte, 1996. Phillips, 2006; Semenov, 2001; Yordanov et al., 1978.	Denchev & Assyov, 2010	
<i>Craterellus cornucopioides</i> (L. : Fr.) Pers.	E	Mr	VI - X
	Boccardo et al., 2008; Bon, 2012; Courtecuisse & Duhem, 1995; Hinkova et al., 1986; Harding et al., 1996; Jordan, 1995; Phillips, 2006; Yordanov et al., 1978.	Denchev & Assyov, 2010	
<i>Fistulina hepatica</i> (Schaeff. : Fr.) With.	YE	LeS, LeP	VII - X
	Ribeiro et al., 2009	Denchev & Assyov, 2010	
<i>Gymnopus dryophilus</i> (Bull. : Fr.) Murrill	E	LeS, St	V - XI
	Boccardo et al., 2008; Bon, 2012; Jordan, 1995; Phillips, 2006.	Denchev & Assyov, 2010	
<i>Gyroporus castaneus</i> (Bull. : Fr.) Quél.	E	Mr	VIII - X
	Hinkova et al., 1986; Jordan, 1995; Phillips, 2006; Yordanov et al., 1978.	Assyov & Denchev, 2004; Denchev & Assyov, 2010	
<i>Hericium cirrhatum</i> (Pers. : Fr.) Nikol.	YE Bon, 2012; Hinkova et al., 1986; Jordan, 1995; Phillips, 2006.	LeS Denchev & Assyov, 2010; Denchev & Petrova, 2005.	VII - IX
<i>Hericium coralloides</i> (Scop. : Fr.) Pers.	E	LeS	VII - IX
	Zou et al., 2012.	Denchev & Assyov, 2010; Denchev & Petrova, 2005; Gyosheva et al., 2006	
<i>Hydnnum repandum</i> L. : Fr. f. <i>repandum</i>	E	Mr	VII - XI
	Boccardo et al., 2008; Bon, 2012; Courtecuisse & Duhem, 1995; Harding et al., 1996; Hinkova et al., 1986; Jordan, 1995; Phillips, 2006; Yordanov et al., 1978.	Denchev & Assyov, 2010; Denchev & Petrova, 2005; Drumeva-Dimcheva & Gyosheva-Bogoeva, 1993.	
<i>Hydnnum rufescens</i> Pers. : Fr.	E	Mr	VII - XI
	Garrab et al., 2019	Denchev & Assyov, 2010	
<i>Hygrophorus eburneus</i> (Bull. : Fr.) Fr.	E	Mr	IX - XI
	Boccardo et al., 2008; Hinkova et al., 1986; Jordan, 1995; Phillips, 2006; Uzelac, 2009; Yordanov et al., 1978.	Denchev & Assyov, 2010; Drumeva-Dimcheva & Gyosheva-Bogoeva, 1993.	
<i>Hygrophorus personii</i> Arnolds	E	Mr	IX - XI
	Boccardo et al., 2008	Denchev & Assyov, 2010	
<i>Hygrophorus russula</i> (Schaeff. : Fr.) Kauffman	E	Mr	IX - XI
	Boccardo et al., 2008; Bon, 2012.	Denchev & Assyov, 2010; Gyosheva et al., 2006	

<i>Kuehneromyces mutabilis</i> (Schaeff. : Fr.) Singer & A.H. Sm.	E	LeS	V - X
	Boccardo et al., 2008; Bon, 2012; Courtecuisse & Duhem, 1995; Harding et al., 1996; Hinkova et al., 1986; Jordan, 1995; Phillips, 2006; Yordanov et al., 1978.	Denchev & Assyov, 2010	
<i>Laccaria bicolor</i> (Maire) P.D. Orton	E	Mr	VI - IX
	Boccardo et al., 2008; Breitenbach & Kränzlin, 1986.	Denchev & Assyov, 2010	
<i>Laccaria laccata</i> (Scop. : Fr.) Cooke	E	Mr	VI - X
	Assyov, 2012, 2014; Boccardo et al., 2008; Breitenbach & Kränzlin, 1986; Courtecuisse & Duhem, 1995; Drumeva-Dymcheva & Gyosheva-Bogoeva, 2016; Harding et al., 1996; Jordan, 1995; Phillips, 2006; Uzelac, 2009; Vanev et al., 1998; Yordanov et al., 1978.	Denchev & Assyov, 2010	
<i>Lacrymaria lacrymabunda</i> (Bull. : Fr.) Pat.	E	Hu, LeS	VI - XI
	Boccardo et al., 2008; Bon, 2012; Courtecuisse & Duhem, 1995; Harding et al., 1996; Jordan, 1995; Phillips, 2006.	Denchev & Assyov, 2010	
<i>Lactarius deliciosus</i> (L. : Fr.) Gray	E	Mr	VI - XI
	Boccardo et al., 2008; Bon, 2012; Courtecuisse & Duhem, 1995; Harding et al., 1996; Hinkova et al., 1986; Jordan, 1995; Phillips, 2006; Yordanov et al., 1978.	Denchev & Assyov, 2010; Denchev & Petrova, 2005.	
<i>Lactarius piperatus</i> (L. : Fr.) Pers.	CE	Mr	VI - X
	Bon, 2012; Harding et al., 1996; Hinkova et al., 1986; Phillips, 2006; Yordanov et al., 1978.	Denchev & Assyov, 2010; Denchev & Petrova, 2005; Burzakov, 1928.	
<i>Lactarius vellereus</i> (Fr. : Fr.) Fr.	CE	Mr	VII - IX
	Drumeva-Dymcheva & Gyosheva-Bogoeva, 2016; Hinkova et al., 1986; Sechanov, 1957; Semenov, 2001; Yordanov et al., 1978.	Denchev & Assyov, 2010; Denchev & Petrova, 2005.	
<i>Lactarius volvulus</i> (Fr. : Fr.) Fr.	E	Mr	VII - X
	Boccardo et al., 2008; Bon, 2012; Harding et al., 1996; Hinkova et al., 1986; Jordan, 1995; Phillips, 2006; Yordanov et al., 1978.	Denchev & Assyov, 2010; Denchev & Petrova, 2005.	

Analysis of Wild Edible Mushrooms in the Regions Strandzha and the Black Sea Coast in Bulgaria

<i>Laetiporus sulphureus</i> (Bull. : Fr.) Murrill	E	LeS	VII - X
	Klaus et al., 2013	Denchev & Assyov, 2010	
<i>Leccinum aurantiacum</i> (Bull.) Gray	E	Mr	VII - X
	Boccardo et al., 2008; Bon, 2012; Harding et al., 1996; Hinkova et al., 1986; Jordan, 1995; Phillips, 2006; Yordanov et al., 1978.	Denchev & Assyov, 2010; Denchev & Petrova, 2005.	
<i>Leccinum carpini</i> (Schulzer) M.M. Moser ex D.A. Reid.	E	Mr	VI - VIII
	Boccardo et al., 2008; Bon, 2012; Harding et al., 1996; Hinkova et al., 1986; Jordan, 1995; Phillips, 2006.	Denchev & Petrova, 2005.	
<i>Leccinum crocipodium</i> (Letell.) Watling	E	Mr	VII - IX
	Boccardo et al., 2008; Bon, 2012; Phillips, 2006.	Denchev & Assyov, 2010; Denchev & Petrova, 2005.	
<i>Leccinum duriusculum</i> (Schulzer ex Kalchbr.) Singer	E	Mr	VII - XI
	Phillips, 2006; Boccardo et al., 2008; Bon, 2012.	Denchev & Assyov, 2010	
<i>Leccinum pseudoscabrum</i> (Kallenb.) Šutara	E	Mr	VI - VIII
	Boccardo et al., 2008; Bon, 2012; Harding et al., 1996; Hinkova et al., 1986; Jordan, 1995; Phillips, 2006.	Denchev & Assyov, 2010	
<i>Lepista nuda</i> (Bull. : Fr.) Cooke	CE	Hu	IX - XI
	Erbiai et al., 2023	Denchev & Assyov, 2010	
<i>Leucopaxillus lepistoides</i> (Maire) Singer	E	Hu	IV - VI
	Boccardo et al., 2008; Bon, 2012; Courtecuisse & Duhem, 1995; Harding et al., 1996; Hinkova et al., 1986; Jordan, 1995; Phillips, 2006; Yordanov et al., 1978.	Denchev & Assyov, 2010; Denchev & Petrova, 2005.	
<i>Lycoperdon echinatum</i> Pers. : Pers	YE	Hu	VII - X
	Boccardo et al., 2008; Bon, 2012; Harding et al., 1996; Hinkova et al., 1986; Jordan, 1995; Phillips, 2006; Yordanov et al., 1978.	Denchev & Assyov, 2010	
<i>Lycoperdon mammiforme</i> Pers. : Pers	YE	Hu	VII - XI
	Boccardo et al., 2008; Bon, 2012; Harding et al., 1996; Hinkova et al., 1986; Jordan, 1995; Phillips, 2006; Yordanov et al., 1978.	Denchev & Assyov, 2010	
<i>Lycoperdon perlatum</i> Pers. : Pers.	YE	Hu	VII - XI
	Boccardo et al., 2008; Bon, 2012;	Denchev & Assyov, 2010	

	Harding et al., 1996; Hinkova et al., 1986; Jordan, 1995; Phillips, 2006; Yordanov et al., 1978.		
<i>Lycoperdon pyriforme</i> Schaeff. : Pers. var. <i>pyriforme</i>	YE Boccardo et al., 2008; Bon, 2012; Harding et al., 1996; Hinkova et al., 1986; Jordan, 1995; Phillips, 2006; Yordanov et al., 1978.	LeS Denchev & Assyov, 2010	VII - XII
<i>Lyophyllum decastes</i> (Fr. : Fr.) Singer	E Boccardo et al., 2008; Bon, 2012; Breitenbach & Kränzlin, 1986; Drumeva-Dymcheva & Gyosheva-Bogoeva, 2016; Hinkova et al., 1986; Laessoe & Del-Conte, 1996; Jordan, 1995; Phillips, 2006; Semenov, 2001; Uzelac, 2009; Vanev et al., 1998.	Hu Denchev & Assyov, 2010	VIII - XI
<i>Macrolepiota mastoidea</i> (Fr. : Fr.) Singer (incl. <i>M. gracilenta</i>)	E Assyov, 2014; Breitenbach & Kränzlin, 1986; Hinkova et al., 1986; Laessoe & Del-Conte, 1996; Phillips, 2006; Yordanov et al., 1978.	Hu Denchev & Assyov, 2010	IX - XI
<i>Macrolepiota procera</i> (Scop. : Fr.) Singer	E Boccardo et al., 2008; Bon, 2012; Courtecuisse & Duhem, 1995; Harding et al., 1996; Jordan, 1995; Phillips, 2006; Uzelac, 2009.	Hu Denchev & Assyov, 2010; Denchev & Petrova, 2005; Burzakov, 1928.	V - XI
<i>Marasmius oreades</i> (Bolton : Fr.) Fr.	E Razaq et al., 2013.	Mr Denchev & Assyov, 2010; Denchev & Petrova, 2005; Burzakov, 1928; Kuthan & Kotlaba, 1989.	V - X
<i>Phallus impudicus</i> L. : Pers. f. <i>impudicus</i>	YE Boccardo et al., 2008; Courtecuisse & Duhem, 1995; Jordan, 1995; Phillips, 2006.	St Denchev & Assyov, 2010	VI - X
<i>Pleurotus cornucopiae</i> (Paulet) Rolland	E Boccardo et al., 2008; Bon, 2012; Courtecuisse & Duhem, 1995; Harding et al., 1996; Jordan, 1995; Phillips, 2006.	LeS Denchev & Assyov, 2010	V - IX
<i>Pleurotus dryinus</i> (Pers. : Fr.) P. Kumm.	CYE Courtecuisse & Duhem, 1995;	LeS Denchev & Assyov, 2010	VII - X
<i>Pleurotus ostreatus</i> (Jacq. : Fr.) P. Kumm.	E Sánchez, 2010	LeS, LeP Denchev & Assyov, 2010;	VIII - XI

Analysis of Wild Edible Mushrooms in the Regions Strandzha and the Black Sea Coast in Bulgaria

		Denchev & Petrova, 2005	
	E	LeS	
<i>Pleurotus pulmonarius</i> (Fr. : Fr.) Quél.	Boccardo et al., 2008; Harding et al., 1996; Jordan, 1995; Phillips, 2006.	Denchev & Assyov, 2010	V - X
	E	LeS	
<i>Pluteus cervinus</i> (Schaeff.) P. Kumm.	Hinkova et al., 1986; Jordan, 1995; Phillips, 2006; Uzelac, 2009; Yordanov et al., 1978.	Denchev & Assyov, 2010	IV - XI
	E	LeS, St	
<i>Pluteus petasatus</i> (Fr.) Gillet	Boccardo et al., 2008; Bon, 2012; Breitenbach & Kränzlin, 1986; Courtecuisse & Duhem, 1995; Laessoe & Del-Conte, 1996. Phillips, 2006; Uzelac, 2009.	Denchev & Assyov, 2010	VII - X
	YE	LeP, LeS	
<i>Polyporus squamosus</i> (Huds. : Fr.) Fr.	Jordan, 1995; Phillips, 2006.	Denchev & Assyov, 2010	V - X
	E	LeS	
<i>Pseudocraterellus undulatus</i> (Pers. : Fr.) Rauscher	Boccardo et al., 2008; Bon, 2012; Jordan, 1995.	Denchev & Assyov, 2010	VII - X
	E	Hu	
<i>Ramaria flava</i> (Schaeff. : Fr.) Quél.	Hinkova et al., 1986; Phillips, 2006; Sechanov, 1957; Semenov, 2001; Uzelac, 2009; Vanev et al., 1998.	Denchev & Assyov, 2010; Denchev & Petrova, 2005	VI - VIII
	QE	Mr	
<i>Russula atropurpurea</i> (Krombh.) Britzelm.	Boccardo et al., 2008; Breitenbach & Kränzlin, 1986; Phillips, 2006.	Denchev & Assyov, 2010	VII - X
	E	Mr	
<i>Russula cyanoxantha</i> (Schaeff.) Fr.	Boccardo et al., 2008; Bon, 2012; Harding et al., 1996; Hinkova et al., 1986; Jordan, 1995; Phillips, 2006; Yordanov et al., 1978.	Denchev & Assyov, 2010; Denchev & Petrova, 2005; Drumeva-Dimcheva & Gyosheva-Bogoeva, 1993.	V - XI
	E	Mr	
<i>Russula delica</i> Fr. s. lat.	Bon, 2012; Breitenbach & Kränzlin, 1986; Hinkova et al., 1986; Phillips, 2006.	Denchev & Assyov, 2010; Denchev & Petrova, 2005; Drumeva-Dimcheva & Gyosheva-Bogoeva, 1993.	VI - X
	E	Mr	
<i>Russula grisea</i> (Pers.) Fr.	Bon, 2012; Breitenbach & Kränzlin, 1986;	Denchev & Assyov, 2010; Denchev & Petrova, 2005.	VI - X
	E	Mr	
<i>Russula heterophylla</i> (Fr. : Fr.) Fr.	Boccardo et al., 2008; Breitenbach & Kränzlin, 1986.	Denchev & Assyov, 2010	VII - XI
	E	Mr	
<i>Russula risigallina</i> (Batsch) Sacc	Sarikurkcu et al., 2021.	Denchev & Assyov, 2010	VI - VIII
	E	Mr	
<i>Russula rosea</i> Pers	Boccardo et al., 2008;	Denchev & Assyov, 2010;	VII - XI

	Bon, 2012; Breitenbach & Kränzlin, 1986.	Denchev & Petrova, 2005.	
<i>Russula vesca</i> Fr.	E Boccardo et al., 2008; Bon, 2012; Breitenbach & Kränzlin, 1986; Harding et al., 1996; Jordan, 1995; Phillips, 2006; Uzelac, 2009.	Mr Denchev & Assyov, 2010; Denchev & Petrova, 2005.	VI - XI
<i>Russula virescens</i> (Schaeff.) Fr.	E Boccardo et al., 2008; Bon, 2012; Harding et al., 1996; Hinkova et al., 1986; Jordan, 1995; Phillips, 2006; Yordanov et al., 1978.	Mr Denchev & Assyov, 2010; Denchev & Petrova, 2005.	VI - VIII
<i>Suillus granulatus</i> (L. : Fr.) Roussel	E Boccardo et al., 2008; Bon, 2012; Harding et al., 1996; Hinkova et al., 1986; Jordan, 1995; Phillips, 2006; Yordanov et al., 1978.	Mr Denchev & Assyov, 2010; Assyov & Denchev, 2004.	VI - XI
<i>Suillus luteus</i> (L. : Fr.) Roussel	E Boccardo et al., 2008; Bon, 2012; Harding et al., 1996; Hinkova et al., 1986; Jordan, 1995; Phillips, 2006; Yordanov et al., 1978.	Mr Assyov & Denchev, 2004; Denchev & Assyov, 2010; Denchev & Petrova, 2005.	VI - XII
<i>Tricholoma sculpturatum</i> (Fr.) Quél.	E Boccardo et al., 2008; Bon, 2012; Phillips, 2006.	Mr Denchev & Assyov, 2010	VIII - XI
<i>Vascellum pratense</i> (Pers. : Pers.) Kreisel	YE Boccardo et al., 2008; Harding et al., 1996; Jordan, 1995; Phillips, 2006.	Hu Denchev & Assyov, 2010	VI - XI
<i>Volvariella bombycinia</i> (Schaeff. : Fr.) Singer var. <i>bombycinia</i>	E Phillips, 2006.	LeS Denchev & Assyov, 2010	VI - IX
<i>Xerula radicata</i> (Relhan : Fr.) Dörfelt	E Boccardo et al., 2008; Bon, 2012; Hinkova et al., 1986; Phillips, 2006.	LeS Denchev & Assyov, 2010; Denchev & Petrova, 2005; Drumeva-Dimcheva & Gyosheva-Bogoeva, 1993; Vanev & Reid, 1986.	VI - XI

Edibility: E – edible; CE – conditional edible; YE – edible at a young age; QE – questionable edibility.

Ecological-trophic type: St – litter saprotrophs, Hu – humus saprotrophs, Mr – mycorrhizal fungi, LeP – wood parasites;

Results and Discussion

Species composition

The literature data on the macroscopic fungi of the areas of Strandzha and the Black Sea coast (southern and northern) comprises 105 edible

species (Table 1). Of these, Denchev & Assyov (2010) indicated 80 species for the Black Sea coast (south and north) and 50 species for Strandzha. In the publication of Denchev & Petrova (2005), 35 species of edible macromycetes were listed for

Strandzha. The species: *Boletus caucasicus*; *Boletus luridiformis* var. *luridiformis* and *Laccaria bicolor* were noted by Denchev & Assyov (2010) only for the region of the Black Sea coast.

The described wild edible mushroom species belong to 27 families and 45 genera (Table 2). The family Agaricaceae had the most genera - 6. With

the most species were the family Boletaceae - 22, followed by Agaricaceae - 20 and Russulaceae - 13.

In terms of species diversity by genera, the *Boletus* genus had the most representatives - 16 species, followed by the *Agaricus* genus - 10 species and the *Russula* genus - 9 species (Table 2).

Table 2. Species composition of the edible wild macromycetes in Strandzha and Black Sea coast.

Family	Genus	Number of species
Agaricaceae	<i>Agaricus</i>	10
	<i>Bovista</i>	2
	<i>Coprinus</i>	1
	<i>Lycoperdon</i>	4
	<i>Macrolepiota</i>	2
	<i>Vascellum</i>	1
Amanitaceae	<i>Amanita</i>	4
Auriculariaceae	<i>Auricularia</i>	1
Boletaceae	<i>Aureoboletus</i>	1
	<i>Boletus</i>	16
	<i>Leccinum</i>	5
Cantharellaceae	<i>Cantharellus</i>	2
	<i>Craterellus</i>	1
	<i>Pseudocraterellus</i>	1
Entolomataceae	<i>Clitopilus</i>	1
Fistulinaceae	<i>Fistulina</i>	1
Fomitopsidaceae	<i>Laetiporus</i>	1
Gomphaceae	<i>Ramaria</i>	1
Gyroporaceae	<i>Gyroporus</i>	1
Hericiaceae	<i>Hericium</i>	2
Hydnaceae	<i>Hydnnum</i>	2
Hydnangiaceae	<i>Laccaria</i>	2
Hygrophoraceae	<i>Hygrophorus</i>	3
Lyophyllaceae	<i>Calocybe</i>	1
	<i>Lyophyllum</i>	1
Marasmiaceae	<i>Marasmius</i>	1
Omphalotaceae	<i>Gymnopus</i>	1
Phallaceae	<i>Phallus</i>	1
Physalacriaceae	<i>Armillaria</i>	1
	<i>Xerula</i>	1
Pleurotaceae	<i>Pleurotus</i>	4
Pluteaceae	<i>Pluteus</i>	2
	<i>Volvariella</i>	1
Polyporaceae	<i>Polyporus</i>	1
Psathyrellaceae	<i>Coprinellus</i>	1
	<i>Lacrymaria</i>	1
	<i>Lactarius</i>	4
Russulaceae	<i>Russula</i>	9
	<i>Agrocybe</i>	3
Strophariaceae	<i>Kuehneromyces</i>	1
Suillaceae	<i>Suillus</i>	2
Tricholomataceae	<i>Clitocybe</i>	1
	<i>Lepista</i>	1
	<i>Leucopaxillus</i>	1
	<i>Tricholoma</i>	1
27	45	105

Edibility and seasonality of mushrooms in both zones

The analyzed literature sources determined 82 species of edible, 13 conditionally edible and 10 edible in young age macromycetes (Table 1). Drumeva-Dimcheva & Gyosheva-Bogoeva (1993) found a total of 2072 macromycetes in Bulgaria, of which 200 species are edible. This determines the species diversity of edible mushrooms for the two analyzed areas as relatively high. Which of them were used in the life of the local population and in what way may be subject of subsequent ethnomyco logical studies in the two regions.

The largest part of edible wild mushrooms for both zones actively fruit during the summer-

autumn and spring-autumn seasons, 62.7% and 22.7%, respectively. Typically the fall species were 7.3% and summer species are 4.5% (Table 1).

Ecological-trophic structure

The analysis of the published data regarding the ecological-trophic groups of fungi showed that in the regions of Strandzha and the Black Sea coast, mycorrhizal fungi were 51.4% of the established species of edible fungi, followed by saprotrophs of humus (20.9%) and saprotrophs of wood (13.3%).

In the plant communities of Strandzha and the Black Sea coast, edible wild mushrooms belong to 7 ecological-trophic groups (Fig. 1).




Fig. 1. Arrangement of fungal species in ecological-trophic groups.

Species of conservation significance

For the two analyzed zones, there were 14 edible wild mushrooms with conservation value (Table 3). With the category Endangered (EN) were 8 species, such as *Aureoboletus gentilis* (Syn. *Pulveroboletus gentilis*) which was marked as CR in the Red Data Book of the Republic of Bulgaria (Peev et al., 2015) and EN in the Red List of fungi in Bulgaria (Gyosheva et al., 2006). Vulnerable (VU) were 2 species according to the RDBRB (Peev et al., 2015), such as *Hygrophorus russula* and

Leccinum aurantiacum which had the same degree of conservation in the RLFB (Gyosheva et al., 2006), while *Hericium coralloides* is Near Threatened (NT). Critically Endangered (CR) according to both sources was *Boletus caucasicus*, which was a species noted only for the Black Sea coast area (Denchev & Assyov, 2010). Whether some of these species were collected and used by people in the marked areas, ie. what is the degree of anthropogenic threat to them, could be subject of further research and analysis among the local population.

Table 3. Species with conservation significance in Bulgaria.

Species	Red List of fungi in Bulgaria (Gyosheva et al., 2006)	Red Data Book of the Republic of Bulgaria (Peev et al., 2015)
<i>Agaricus altipes</i> (F.H. Møller) Pilát	EN	EN
<i>Agaricus essettei</i> Bon	EN	EN
<i>Agaricus macrocarpus</i> (F.H. Møller) F.H. Møller	EN	EN
<i>Agaricus squamulifer</i> (F.H. Møller) Pilát	EN	EN
<i>Amanita caesarea</i> (Scop. : Fr.) Pers.	VU	VU
<i>Amanita strobiliformis</i> (Paulet ex Vittad.) Bertill.	EN	EN
<i>Aureoboletus gentilis</i> (Quél.) Pouzar	EN	CR

Conclusions

The literary analysis of wild edible mushrooms in the Strandzha and Black Sea coast regions shows a relatively large species diversity. Targeted and systematic mycological studies are needed to establish the actual fungal diversity in the two areas. In the course of these studies, many new records are expected for the two territories, which would enrich the mycological data for the country as a whole. Observations on the traditions and lifestyle of the local population regarding edible wild mushrooms would provide an opportunity to clarify the ethnomyco logical characteristics of the people in the two marked areas.

Acknowledgement: This study is financed by the European Union-NextGenerationEU, through the National Recovery and Resilience Plan of the Republic of Bulgaria, project № BG-RRP-2.004-0001-C01.

References

- Abugri, D., McElhenney, W.H., & Willian, K.R. (2016). Fatty acid profiling in selected cultivated edible and wild medicinal mushrooms in the Southern United States. *Journal of Experimental Food Chemistry*, 2(1), 1-7. doi: [10.4172/jefc.1000108](https://doi.org/10.4172/jefc.1000108).
- Aisala, H., Laaksonen, O., Manninen, H., Raittola, A., Hopia, A., & Sandell, M. (2018). Sensory properties of Nordic edible mushrooms. *Food Research International*, 109(2010), 526-536. doi: [10.1016/j.foodres.2018.04.059](https://doi.org/10.1016/j.foodres.2018.04.059).
- Amirullah, N.A., Abidin, N.Z., & Abdullah, N. (2018). The potential applications of mushrooms against some facets of atherosclerosis: A review. *Food Research International*, 105, 517-536. doi: [10.1016/j.foodres.2017.11.023](https://doi.org/10.1016/j.foodres.2017.11.023).
- Assyov, B., & Denchev, C.M. (2004). Preliminary checklist of *Boletales* s. str. in Bulgaria. *Mycologia Balcanica*, 1, 195-208.
- Assyov, B. (2012). *The Mushrooms of Belasitsa*. Directorate of PP "Belasitsa" at IAG, ISBN 978-954-92999-1-5.
- Assyov, B. (2014). *Photo atlas of edible and poisonous mushrooms in the "Vrachanski Balkan" Nature Park*. Unicart, ISBN 978-954-2953-36-4.
- Boa, E.R. (2004). *Wild edible fungi: A global overview of their use and importance to people*. Rome, Italy: Food and Agriculture Organization.
- Boccardo, F., Traverso, M., Vizzini, A., & Zotti, M. (2008). *Funghi d'Italia*. Bologna: Zanichelli. p. 623.
- Bon, M. (2012). *Champignons de France et d'Europe occidentale: guide illustré de plus de 1.500 espèces et variétés*. Flammarion.
- Breitenbach, J., & Kränzlin, F. (1986). *Fungi of Switzerland*, vol. 2. *Non-gilled fungi, Heterobasidiomycetes, Aphyllophorales, Gasteromycetes*. Lucerna, Switzerland: Verlag Mykologia. ISBN: 9783856042202.
- Bulgarian Food Safety Agency. (2023). List of sites for purchasing wild mushrooms. Available at: <https://bfsa.egov.bg/wps/portal/bfsa/web/registers/reg%20divi%20gabi>
- Burzakov, B. (1928). Contribution to the study of the fungus flora of Bulgaria. *Godishnik na Sofiisksiya Universitet, Prirodo-Matematicheski Fakultet*, 24(2-3): 1-18
- Chang, S.T., & Buswell, J.A. (2001). Nutriceuticals from mushrooms. In H.W. Doelle, S. Rokem, & M. Berovic (Eds.). *Biotechnology 3* (pp. 43-73). Oxford: EOLSS Publishers.
- Courtecuisse, R., & Duhem, B. (1995). *Mushrooms & Toadstools of Britain and Europe*. Harper Collins Pub. Ltd, 480 p.

- De Román, M., Boa, E., & Woodward, S. (2006). Wild-gathered fungi for health and rural livelihoods. *Proceedings of Nutrition Society*, 65(2), 190-197. doi: [10.1079/PNS2006491](https://doi.org/10.1079/PNS2006491).
- Denchev, C.M., & Assyov, B. (2010). Checklist of the larger basidiomycetes in Bulgaria. *Mycotaxon*, 111(1), 279-282. doi: [10.5248/111.279](https://doi.org/10.5248/111.279).
- Denchev, C.M., & Petrova, R.D. (2005). Fungal diversity of Mountain Strandzha (SE Bulgaria). In: *Challenges of establishment and management of a trans-border biosphere reserve between Bulgaria and Turkey in Strandzha Mountain*. Proceedings of an UNESCO-BAS-MOEW workshop, Bourgas, Bulgaria, 11-13 November, 2005 (pp. 69-75). Bulgarian Academy of Sciences.
- Dimitrov, D., Palagacheva, N., Stoyanova, M., Lacheva, M., Valchev, N., & Radoukova, T. (2020). Phospholipids and fatty acid profiles of wild edible mushrooms (*Suillus luteus*), Bulgaria. *Oxidation Communications*, 43(3), 515-525.
- Dospatliev, L., Lacheva, M., Radoukova, T., Stoyanova, M., & Ivanova, M. (2019). Econometric model for estimation of essential amino acid in wild edible mushroom *Boletus pinophilus*. *Oxidation Communications*, 42(4), 496-506.
- Drumeva-Dimcheva, M., & Gyosheva-Bogoeva, M. (1993). Macromycetes in Bulgaria. In: M. Sakalian (ed.). *The National Biological Diversity Conservation Strategy*, 1-34. Sofia (in Bulgarian).
- Drumeva-Dymcheva, M., & Gyosheva-Bogoeva, M. (2016). *150 Mushrooms*. Sofia, Bulgaria: Gaia-Libris, ISBN 978-954-300-154-5.
- Erbiae, E.H., Maouni, A., Pinto da Silva, L., Saidi, R., Legssyer, M., Lamrani, Z., & Esteves da Silva, J.C. (2023). Antioxidant Properties, Bioactive Compounds Contents, and Chemical Characterization of Two Wild Edible Mushroom Species from Morocco: *Paralepista flaccida* (Sowerby) Vizzini and *Lepista nuda* (Bull.) Cooke. *Molecules*, 28(3), 1123. doi: [10.3390/molecules28031123](https://doi.org/10.3390/molecules28031123).
- Ergönül, P.G., Akata, I., Kalyoncu, F., & Ergönül, B. (2013). Fatty acid compositions of six wild edible mushroom species. *The Scientific World Journal*, 2013, Article ID 163964, 4 p. doi: [10.1155/2013/163964](https://doi.org/10.1155/2013/163964).
- Garrab, M., Edziri, H., El Mokni, R., Mastouri, M., Mabrouk, H., & Douki, W. (2019). Phenolic composition, antioxidant and anticholinesterase properties of the three mushrooms *Agaricus silvaticus* Schaeff., *Hydnus rufescens* Pers. and *Meripilus giganteus* (Pers.) Karst. in Tunisia. *South African Journal of Botany*, 12, 359-363. doi: [10.1016/j.sajb.2019.05.033](https://doi.org/10.1016/j.sajb.2019.05.033).
- Gyosheva, M. (2006). *Mushrooms in Our Nature*. Global Agro, ISBN 954-705-019-2.
- Gwenzi, W., Tagwireyi, C., Musiyiwa, K., Chipurura, B., Nyamangara, J., Sanganyado, E., & Chaukura, N. (2021). Occurrence, behavior, and human exposure and health risks of potentially toxic elements in edible mushrooms with focus on Africa. *Environmental Monitoring and Assessment*, 193(5), p.302. doi: [10.1007/s10661-021-09042-w](https://doi.org/10.1007/s10661-021-09042-w).
- Gyosheva, M., Denchev, C., Dimitrova, E., Assyov, B., Petrova, R., & Stoichev, G. (2006). Red List of fungi in Bulgaria. *Mycologia Balcanica*, 3, 75-81.
- Harding, P., Lyon, T., & Tomblin, G. (1996). *How to identify edible fungi*. London, Harper Collins UK, 192 p.
- Hinkova, Tz., Drumeva, M., Stoychev, G., & Chalakov, V. (1986). *Our mushrooms*. Sofia, Bulgaria: Zemizdat. (in Bulgarian)
- Hüseyin, E., & Selçuk, F. (2007). New records of microfungi from Mt. Strandzha in Bulgaria (south-eastern Europe). I. *Mycologia Balcanica*, 4, 139-142.
- Hüseyin, E., Selçuk, F., & Bülbül, A.S. (2011). New records of microfungal genera from Mt. Strandzha in Bulgaria (south-eastern Europe). II. *Mycologia Balcanica*, 8(2), 157-160.
- IUCN. 2001. IUCN Red List categories and criteria: Version 3.1. IUCN Species Survival Commission, IUCN, Gland, Switzerland and Cambridge, UK.
- IUCN. (2003a). Guidelines for application of IUCN Red List categories at regional levels: Version 3.0. IUCN species survival Commission, IUCN, Gland, Switzerland and Cambridge, UK.
- IUCN. (2003b). Guidelines for using the IUCN Red List categories and criteria. Standards and Petitions Subcommittee of the IUCN SSC Red List Programme Committee, IUCN, Gland, Switzerland and Cambridge, UK.
- Ivancevic, B., & Karadelev, M. (2013). Overview of fungi species in Prespa National Park (Alba-

- nia). *International Journal of Ecosystems & Ecology Sciences*, 3(4), 679-686.
- Ivanova, M., Lacheva, M., Radoukova, T., & Dospatliev, L. (2020). The trace element contents in wild edible mushrooms samples and econometric modeling of data. *Bulgarian Chemical Communications*, 52(A), 53-58. doi: [10.34049/bcc.52.A.185](https://doi.org/10.34049/bcc.52.A.185).
- Jayachandran, M., Xiao, J., & Xu, B. (2017). A critical review on health promoting benefits of edible mushrooms through gut microbiota. *International Journal of Molecular Sciences*, 18(9), 1934. doi: [10.3390/ijms18091934](https://doi.org/10.3390/ijms18091934).
- Jordan, M. (Ed.). (1995). *Encyclopedia of Fungi of Britain and Europe*. Sterling Pub Co Inc., 384 p. ISBN-13 978-0715301296.
- Kadnikova, I.A., Costa, R., Kalenik, T.K., Guruleva, O.N., & Yanguo, S. (2015). Chemical composition and nutritional value of the mushroom *Auricularia auricula-judae*. *Journal of Food and Nutrition Research*, 3(8), 478-482. doi: [10.12691/jfnr-3-8-1](https://doi.org/10.12691/jfnr-3-8-1).
- Kalac, P. (2009). Chemical composition and nutritional value of european species of wild-growing mushrooms: A review. *Food Chemistry*, 113(1), 9-16. doi: [10.1016/j.foodchem.2008.07.077](https://doi.org/10.1016/j.foodchem.2008.07.077).
- Kalac, P. (2010). Trace element contents in European species of wild growing edible mushrooms: a review for the period 2000-2009. *Food Chemistry*, 122(1), 2-15. doi: [10.1016/j.foodchem.2010.02.045](https://doi.org/10.1016/j.foodchem.2010.02.045).
- Khatun, S., Islam, A., Cakilcioglu, U., & Chatterjee, N.C. (2012). Research on mushroom as a potential source of nutraceuticals: A review on Indian perspective. *Journal of Experimental Agriculture International*, 2, 47-73. doi: [10.9734/AJEA/2012/492](https://doi.org/10.9734/AJEA/2012/492).
- Khaund, P., & Joshi, S. R. (2016). *Lentinula edodes* based GIS mapping, biometabolites and antiinflamatory activity of wild edible mushrooms from tropical 'sacred grove' forests of Meghalaya, India. *Revista de Biología Tropical*, 64(1), 247-257. doi: [10.15517/rbt.v64i1.20349](https://doi.org/10.15517/rbt.v64i1.20349).
- Kirk, P.M. (2004). *Authors of fungal names*. CABI Bioscience, Wallingford. Retrieved from <http://www.speciesfungorum.org/AuthorsOfFungalNames.htm>.
- Kirk, P.M., & Ansell, A.E. (1992). *Authors of fungal names*. Wallingford, Oxon, UK: Inretnational Mycological Institute, CABI, 95 p.
- Klaus, A., Kozarski, M., Niksic, M., Jakovljevic, D., Todorovic, N., Stefanoska, I., & Van Griensven, L.J. (2013). The edible mushroom *Laetiporus sulphureus* as potential source of natural antioxidants. *International Journal of Food Sciences and Nutrition*, 64(5), 599-610. doi: [10.3109/09637486.2012.759190](https://doi.org/10.3109/09637486.2012.759190).
- Kumar, K. (2015). Role of edible mushrooms as functional foods. A review. *South Asian Journal of Food Technology and Environment*, 1, 211-218.
- Kumar, K., Mehra, R., Guiné, R.P., Lima, M.J., Kumar, N., Kaushik, R., Ahmed, N., Yadav, A.N., & Kumar, H. (2021). Edible Mushrooms: A comprehensive review on bioactive compounds with health benefits and processing aspects. *Foods*, 10(12), p.2996. doi: [10.3390/foods10122996](https://doi.org/10.3390/foods10122996).
- Lacheva, M., Dimitrov, D., Radoukova, T., & Valchev, N. (2020). Nutritional analysis of cultivated mushrooms *Pleurotus ostreatus* in Bulgaria. *Oxidation Communications*, 43(4), 709-721.
- Laessoe, T., & Del-Conte, A. (1996). *The mushroom book. How to Identify, Gather and Cook Wild Mushrooms and Other Fungi*. London: Dorling Kindersley Pub, 256 p.
- Lindequist, U., Niedermeyer, T.H., & Jülich, W.D. (2005). The pharmacological potential of mushrooms. *Evidence-based Complementary and Alternative Medicine*, 2(3), 285-299. doi: [10.1093/ecam/neh107](https://doi.org/10.1093/ecam/neh107).
- Ma, K., Han, J., Bao, L., Wei, T., & Liu, H. (2014). Two sarcoviolins with antioxidative and α-glucosidase inhibitory activity from the edible mushroom *Sarcodon leucopus* collected in Tibet. *Journal of Natural Products*, 77(4), 942-947. doi: [10.1021/np401026b](https://doi.org/10.1021/np401026b).
- Muszyńska, B., Kała, K., Rojowski, J., Grzywacz, A., & Opoka, W. (2017). Composition and biological properties of *Agaricus bisporus* fruiting bodies. A review. *Polish Journal of Food and Nutrition Sciences*, 67(3), 173-182. doi: [10.1515/pjfn-2016-0032](https://doi.org/10.1515/pjfn-2016-0032).
- Peev, D., Vladimirov, V., Petrova, A., Anchev, M., Temniskova, D., Denchev, C., Ganeva, A., & Gussev, Ch. (Eds.). 2015. Red Data Book of the Republic of Bulgaria, Volume 1 – Plants and Fungi, Digital edition. Bulgarian Academy of Sciences & Ministry of

- Environment and Waters. Available at: [[e-codb.bas.bg/rdb/en/vol1/](http://ecodb.bas.bg/rdb/en/vol1/)].
- Phan, C., Lee, G., Macreadie, I., Malek, S., Pamela, D., & Sabaratnam, V. (2013). Lipid constituents of the edible mushroom, *Pleurotus giganteus* demonstrate anti-candida activity. *Natural Product Communications*, 8(12), 1763-1765.
- Phillips, R. (2006). *Mushrooms*. Pan MacMillan, 384 p. ISBN 978-0-3304-42374.
- Proskura, N., Podłasińska, J., & Skopicz-Radkiewicz, L. (2017). Chemical composition and bioaccumulation ability of *Boletus badius* (Fr.) Fr. collected in western Poland. *Chemosphere*, 168, 106-111. doi: [10.1016/j.chemosphere.2016.10.003](https://doi.org/10.1016/j.chemosphere.2016.10.003).
- Raper, C.A. (1976). Sexuality and life-cycle of the edible, wild *Agaricus bitorquis*. *Microbiology*, 95(1), 54-66. doi: [10.1128/AEM.66.2.728-734.20](https://doi.org/10.1128/AEM.66.2.728-734.20).
- Rathee, S., Rathee, D., Rathee, D., Kumar, V., & Rathee, P. (2012). Mushrooms as therapeutic agents. *Revista Brasileira de Farmacognosia*, 22, 457-474. doi: [10.1590/S0102-695X2011005000195](https://doi.org/10.1590/S0102-695X2011005000195).
- Razaq, A., & Shahzad, S. (2007). *Agaricus silvicola* a new record from Pakistan. *Pakistan Journal of Botany*, 39(1), 309-310.
- Razaq, A., Ilyas, S., & Khalid, A.N. (2013). Molecular identification of *Marasmius oreades* - an edible mushroom from Pakistan based on its RDNA sequence data. *Pakistan Journal of Agricultural Sciences*, 50(3), 415-419.
- Ribeiro, B., de Pinho, P.G., Andrade, P.B., Baptista, P., & Valentão, P. (2009). Fatty acid composition of wild edible mushrooms species: A comparative study. *Microchemical Journal*, 93(1), 29-35. doi: [10.1016/j.microc.2009.04.005](https://doi.org/10.1016/j.microc.2009.04.005).
- Sánchez, C. (2010). Cultivation of *Pleurotus ostreatus* and other edible mushrooms. *Applied microbiology and biotechnology*, 85(5), 1321-1337. doi: [10.1007/s00253-009-2343-7](https://doi.org/10.1007/s00253-009-2343-7).
- Sande, D., de Oliveira, G.P., e Moura, M.A.F., de Almeida Martins, B., Lima, M.T.N.S., & Takahashi, J.A. (2019). Edible mushrooms as a ubiquitous source of essential fatty acids. *Food Research International*, 125, 108524. doi: [10.1016/j.foodres.2019.108524](https://doi.org/10.1016/j.foodres.2019.108524).
- Sarikurkcı, C., Akata, I., & Tepe, B. (2021). Metal concentration and health risk assessment of eight *Russula* mushrooms collected from Kızılıcahamam-Ankara, Turkey. *Environmental Science and Pollution Research*, 28(13), 15743-15754. doi: [10.1007/s11356-020-11833-6](https://doi.org/10.1007/s11356-020-11833-6).
- Sechanov, I. (1957). *Mushrooms in Bulgaria*. Sofia, Bulgaria: Science and Art. (in Bulgarian)
- Semenov, Y. (2001). *Complete illustrated guide to mushroom pickers*. SME Publishing House, ISBN 5-7578-0111-5.
- Singh, M., Vijay, B., Kamal, S., & Wakchaure, G.C. (2011). *Mushrooms: cultivation, marketing and consumption*. New Delhi, India: Directorate of Mushroom Research, Solan, Himachal Pradesh Indian, 266 p.
- Šíšák, L. (2007). The importance of mushroom picking as compared to forest berries in the Czech Republic. *Mykologicky' Sborník*, 84(3), 78-83.
- Stoyanova, M., Lacheva, M., & Radoukova, T. (2021). Chemical composition and nutritional value of *Agaricus bisporus*. *Bulgaria. Oxidation Communications*, 44(1), 81-95.
- Stoyanova, M., Lacheva, M., Valchev, N., & Radoukova, T. (2020). Amino acids and carotenoids profile of edible mushrooms (*Marasmius oreades* and *Cantharellus aurora*). *Oxidation Communications*, 43(4), 688-698.
- Strandzhev, A., Ivanov, H., Drenski, A. Chortanova, S., & Ivanov, P. (1965). *Wild and Cultivated Mushrooms*. Tehnika Publishing House, Sofia. (in Bulgarian)
- Turland, N. J., Wiersema, J. H., Barrie, F. R., Greuter, W., Hawksworth, D. L., Herendeen, P. S., Knapp, S., Kusber, W.-H., Li, D.-Z., Marhold, K., May, T. W., McNeill, J., Monro, A. M., Prado, J., Price, M. J., & Smith, G. F. (eds.) (2018). *International Code of Nomenclature for algae, fungi, and plants (Shenzhen Code) adopted by the Nineteenth International Botanical Congress Shenzhen, China, July 2017*. Regnum Vegetabile 159. Glashütten: Koeltz Botanical Books. doi: [10.12705/Code.2018](https://doi.org/10.12705/Code.2018).
- Uzelac, B. (2009). *Gjive Srbije i zapadnog Balkana*. Beograd, p. 464.
- Vanev, S.G., & Reid, D.A. (1986). New taxa and chorologic data for the Bulgarian fungus flora. *Fitologiya*, 31, 63-70.
- Vanev, S., Fakirova, V., & Yordanov, D. (1998). *Edible and Poisonous Mushrooms in Bulgaria*. Sofia, Bulgaria: Pensoft. ISBN 954-642-050-6.
- Vazharov, V. (2013). *Medicinal mushrooms in Bulgaria*. Biana, ISBN 978-954-91509-7-1.

- Vetter, J. (1990). Mineral element content of edible and poisonous macrofungi. *Acta Alimentaria*, 19(1), 27-40.
- Wani, B.A., Bodha, R.H., & Wani, A.H. (2010). Nutritional and medicinal importance of mushrooms. *Journal of Medicinal plants research*, 4(24), 2598-2604. doi: [10.5897/JMPR09.565](https://doi.org/10.5897/JMPR09.565)
- Yordanov, D., Vanev, S.G., & Fakirova, V.I. (1978). *Mushrooms in Bulgaria: a determinant of the most common edible and poisonous mushrooms*. Sofia, Bulgaria: Publishing House of the Bulgarian Academy of Sciences (BAS). (in Bulgarian)
- Zou, Y.J., Wang, H.X., Ng, T.B., Huang, C.Y., & Zhang, J.X. (2012). Purification and characterization of a novel laccase from the edible mushroom *Hericium coralloides*. *The Journal of Microbiology*, 50, 72-78.

Received: 13.12.2023

Accepted: 05.03.2024